www.partnerppe.com

Partner (Guangdong) Supply Chain Management Co., LTD.

INTERNATIONAL LABOR PROTECTION PRODUCTS CATALOG

CONTACT US

Company name:
Partner (Guangdong) Supply Chain Management Co., LTD.

Address:
Room 601, No. 266, Qinghe East Road, Shiqiao Street, Panyu District, Guangzhou,China

Phone Number:
+8613825009501

Email:
sales@pentyegroup.com

Website :
https://www.partnerppe.com



Copyright © 2026 PartnerPPE. All rights reserved. Product images are for reference only. Actual products may differ slightly from images due to factors such as shooting light and monitor color difference.

www.partnerppe.com



Company profile


ULTAC is one of the brands of PARTNER (GUANGDONG) SUIPPLY CHAIN MAN AGEMENT CO., LTD, established in 2010.

We are located in Guangzhou, China, and our cooperative factories are located in various regions, responsible for the production of different PPE products, incluing helmets, gloves, goggles, safety clothing, safety shoes, reflective vests, which can be used in construction sites, petrochemicals, power maintenance, aiirport raiways, outdoor activities, road traffic and other different use occasions, and sold all over the world.

ULTAC's products can meet various types of standards in Europe and North Ameica such as CE, ANSI.

We can also redesign and customize products according to requirements, provide samples quickly, and have sufficient production capacity to meet mass productio requirements.

We are committed to providing better and higher quality PPE products and pefect services, and look forward to more partners to create a better future together!



Certificate


CERTIFICATE

Environmental Management System
GB/T 24001-2016 / ISO 14001:2015

PENGTAI (GUANGDONG) SUPPLY CHAIN MANAGEMENT CO.,LTD.

Certificate No.: 24CN5451335ISE

Unified social credit code: 91440113MACSLNJE70

Registered Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou

Office Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou, Guangdong, China

Certification Scope: Sales of Kitchen Supplies, Pet Products, Automotive Accessories, Clothing, Personal Protective Equipments Fabrics and Yarns

IAF 35
This is to certify that the environmental management system established and implemented by the above organization meets the standard requirements.
During the validity period of the certificate, the surveillance audit should be carried out once a year and pass the audit, the certificate will continue to be valid.
The certificate can be checked out at the certification body website (www.acmchina.com) and CNCA website (www.cnca.gov.cn).

Date of first registration: 14/11/2024
Date of this certificate: 14/11/2024
Date of expiry: 13/11/2027

IAF IAS ACCREDITED

General Manager

ACM INTERNATIONAL CERTIFICATION LIMITED
41 Devonshire Street, Ground Floor, Office 1 London, United Kingdom, W1G 7AJ
Local Office-ACM (CHINA) LIMITED, Rm 8205, Building 2, No 391, Weihan Road, Minhang District, Shanghai 201199, China
T: +86 21-64058080 F: +86 21-64681090 W: www.acmchina.com E: info@acmcert.com.cn


CERTIFICATE

Quality Management System
GB/T 19001-2016 / ISO 9001:2015

PENGTAI (GUANGDONG) SUPPLY CHAIN MANAGEMENT CO.,LTD.

Certificate No.: 24CN5451332ISQ

Unified social credit code: 91440113MACSLNJE70

Registered Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou

Office Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou, Guangdong, China

Certification Scope: Sales of Kitchen Supplies, Pet Products, Automotive Accessories, Clothing, Personal Protective Equipments Fabrics and Yarns

IAF 35
This is to certify that the quality management system established and implemented by the above organization meets the standard requirements.
During the validity period of the certificate, the surveillance audit should be carried out once a year and pass the audit, the certificate will continue to be valid.
The certificate can be checked out at the certification body website (www.acmchina.com) and CNCA website (www.cnca.gov.cn).

Date of first registration: 14/11/2024
Date of this certificate: 14/11/2024
Date of expiry: 13/11/2027

IAF IAS ACCREDITED

General Manager

ACM INTERNATIONAL CERTIFICATION LIMITED
41 Devonshire Street, Ground Floor, Office 1 London, United Kingdom, W1G 7AJ
Local Office-ACM (CHINA) LIMITED, Rm 8205, Building 2, No 391, Weihan Road, Minhang District, Shanghai 201199, China
T: +86 21-64058080 F: +86 21-64681090 W: www.acmchina.com E: info@acmcert.com.cn

Our factory

















Product information

SJ1001

Technique: PVC injection
Upper: Full-grain Leather
Sole: PU+RUBBER
Lining: AIR MESH
Toe cap: Steel toe cap
Plate: KEVLAR








Product information

SJ1002

Technique: Polyurethane injection construction
Upper: Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1003

Technique: Polyurethane injection construction
Upper: Flyknit
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1004

Technique: Polyurethane injection construction
Upper: Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1005

Technique: Polyurethane injection construction
Upper: Nubuck leather+Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: KEVLAR








Product information

SJ1006

Technique: Polyurethane injection construction
Upper: Nubuck leather+Embossed leather
Sole: PU/RUBBER
Lining: AIR MESH
Toe cap: Steel toe cap
Plate: KEVLAR








Product information

SJ1007

Technique: Polyurethane injection construction
Upper: Nubuck leather+Embossed leather
Sole: PU/RUBBER
Lining: AIR MESH
Toe cap: Steel toe cap
Plate: KEVLAR








Product information

SJ1008

Technique: Polyurethane injection construction
Upper: Nubuck leather+Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: KEVLAR








Product information

SJ1009

Technique: Polyurethane injection construction
Upper: Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1010

Technique: Polyurethane injection construction
Upper: Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1011

Technique: PVC injection
Upper: PVC
Sole: PVC
Lining: Easy dry fabric
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SJ1012

Technique: Polyurethane injection construction
Upper: Embossed leather
Sole: Dual density PU
Lining: BK mesh
Toe cap: Steel toe cap
Plate: Steel plate








Product information

SK1001

Use for: Impact and puncture resistant
Upper: Microfiber leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46









Product information

SK1002

Use for: Impact and puncture resistant
Upper: Embossed Leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1003

Use for: Impact and puncture resistant
Upper: Microfiber leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1004

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1005

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46









Product information

SK1006

Use for: Impact and puncture resistant
Upper: Leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46





Product information

SK1007

Use for: Impact and puncture resistant
Upper: Leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1008

Use for: Impact and puncture resistant
Upper: Split leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Steel/Steel
Size: 36-46





Product information

SK1009

Use for: Impact and puncture resistant
Upper: PU Leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46





Product information

SK1010

Use for: Impact and puncture resistant
Upper: PU Leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46





Product information

SK1011

Use for: Impact and puncture resistant
Upper: Microfiber leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46





Product information

SK1012

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Steel/Kevlar
Size: 36-46








Product information

SK1013

Use for: Impact and puncture resistant, anti-slip
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1014

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1015

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1016

Use for: Impact and puncture resistant
Upper: Suede leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46









Product information

SK1017

Use for: Impact and puncture resistant
Upper: Split leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Steel/Kevlar
Size: 36-46





Product information

SK1018

Use for: Impact and puncture resistant
Upper: Microfiber leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/Iron
Size: 36-46








Product information

SK1019

Use for: Impact and puncture resistant, High temperature resistance
Upper: Suede leather
Oursole: Tire
Inside: Air Mesh
Toe/Plate: Iron/no iron plate
Size: 36-46








Product information

SK1020

Use for: Impact and puncture resistant
Upper: Top leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Steel/Steel
Size: 36-46








Product information

SK1021

Use for: Impact and puncture resistant, Insulation 6kv
Upper: Suede leather
Oursole: Rubber
Inside: Air Mesh
Toe/Plate: Iron/Kevlar
Size: 36-46









Product information

SK1022

Use for: Smash-proof, oil-proof, acid/alkali-proof, Insulation 6kv
Upper: Split leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Iron/no iron plate
Size: 36-46





Product information

SK1023

Use for: Impact and Antistatic
Upper: Microfiber leather
Oursole: PU
Inside: Air Mesh
Toe/Plate: Plastic/No plate
Size: 36-46








Product information

SK1024

Use for: Chef's Shoes, Insulation 10kv
Upper: Split leather
Oursole: Rubber
Toe/Plate: None
Size: 36-46









Product information

SK1025

Use for: Chef's Shoes
Upper: EVA
Oursole: Rubber
Toe/Plate: None
Size: 36-46







Product information

FQY01-P

Upper: KPU
Sole: EVA
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-41
Color: Pink








Product information

FQY01-B

Upper: KPU
Sole: EVA
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-41
Color: Black








Product information

FQY02-B

Upper: Fly knit, microfiber, offset printing
Sole: EVA rubber negative
Toe cap, midsole: Steel toe, Kevlar
Standard: CE certificate ASTM
Function: Anti-smashing, anti-puncture
Size range: 35-46
Color: Black









Product information

FQY02-O

Upper: Fly knit, microfiber, offset printing
Sole: EVA rubber negative
Toe cap, midsole: Steel toe, Kevlar
Standard: CE certificate ASTM
Function: Anti-smashing, anti-puncture
Size range: 35-46
Color: Orange








Product information

FQY03-B

Upper: Fly knit, offset printing
Sole: Rubber
Toe cap, midsole: steel toe, steel midsole
Function: Anti-smashing, anti-puncture
Size range: 35-48
Color: Black








Product information

FQY03-BL

Upper: Fly knit, offset printing
Sole: Rubber
Toe cap, midsole: steel toe, steel midsole
Function: Anti-smashing, anti-puncture
Size range: 35-48
Color: Blue









Product information

FQY04

Upper: Fly knit, microfiber
Sole: EVA
Toe cap, midsole: Steel toe, Kevla
Function: Anti-smashing, anti-puncture
Size range: 35-46
Color: Black





Product information

FQY05-P

Upper: Fly knit, fish wire
Sole: Rubber and plastic cushion
Toe cap, midsole: steel toutou, Kevlar
Standard: CE certificate ASTM
Function: Anti-smashing, anti-puncture
Size range: 36-48
Color: Pink









Product information

FQY05-G

Upper: Fly knit, fish wire
Sole: Rubber and plastic cushion
Toe cap, midsole: steel toutou, Kevlar
Standard: CE certificate ASTM
Function: Anti-smashing, anti-puncture
Size range: 36-48
Color: Green





Product information

FQY06-B

Upper: Mesh suede
Sole: Dual-density PU
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 36-46
Color: Black








Product information

FQY06-Y

Upper: Mesh suede
Sole: Dual-density PU
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 36-46
Color: Yellow








Product information

FQY07-G

Upper: Fly knit
Sole: PVC
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 36-46
Color: Gray








Product information

FQY07-BL

Upper: Fly knit
Sole: PVC
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 36-46
Color: Blue








Product information

FQY08

Upper: Split leather
Sole: Rubber
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 36-46
Color: Brown










Product information

FZJ01-B

Upper: Fly knit
Sole: Rubber
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-47
Color: Black








Product information

FZJ01-R

Upper: Fly knit
Sole: Rubber
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-47
Color: Red








Product information

FZJ01-O

Upper: Fly knit
Sole: Rubber
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-47
Color: Orang










Product information

FZJ02

Upper: Fly knit
Sole: Air cushion sole
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-46
Color: Pink






Safety Shoes



Product information

FZJ03

Upper: Split leather
Sole: EVA
Toe cap, midsole: Steel toe, Kevlar
Function: Anti-smashing, anti-puncture
Size range: 35-46
Color: Khaki








Product information

FZJ04

Upper: Split leather
Sole: PU
Toe cap, midsole: Iron head, iron bottom
Function: Anti-smashing, anti-puncture
Size range: 35-47
Color: Black



