www.partnerppe.com

Partner (Guangdong) Supply Chain Management Co., LTD.

# INTERNATIONAL LABOR PROTECTION PRODUCTS CATALOG

## CONTACT US


**Company name:**
Partner (Guangdong) Supply Chain Management Co., LTD.

**Address:**
Room 601, No. 266, Qinghe East Road, Shiqiao Street, Panyu District, Guangzhou,China

**Phone Number:**
+8613825009501

**Email:**
sales@pentyegroup.com

**Website :**
https://www.partnerppe.com





Copyright © 2026 PartnerPPE. All rights reserved. Product images are for reference only. Actual products may differ slightly from images due to factors such as shooting light and monitor color difference.



www.partnerppe.com




# Company profile


ULTAC is one of the brands of PARTNER (GUANGDONG) SUIPPLY CHAIN MAN AGEMENT CO., LTD, established in 2010.

We are located in Guangzhou, China, and our cooperative factories are located in various regions, responsible for the production of different PPE products, incluing helmets, gloves, goggles, safety clothing, safety shoes, reflective vests, which can be used in construction sites, petrochemicals, power maintenance, aiirport raiways, outdoor activities, road traffic and other different use occasions, and sold all over the world.

ULTAC's products can meet various types of standards in Europe and North Ameica such as CE, ANSI.

We can also redesign and customize products according to requirements, provide samples quickly, and have sufficient production capacity to meet mass productio requirements.

We are committed to providing better and higher quality PPE products and pefect services, and look forward to more partners to create a better future together!




## Certificate


CERTIFICATE

Environmental Management System
GB/T 24001-2016 / ISO 14001:2015

PENGTAI (GUANGDONG) SUPPLY CHAIN MANAGEMENT CO.,LTD.

Certificate No.: 24CN5451335ISE

Unified social credit code: 91440113MACSLNJE70

Registered Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou

Office Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou, Guangdong, China

Certification Scope: Sales of Kitchen Supplies, Pet Products, Automotive Accessories, Clothing, Personal Protective Equipments Fabrics and Yarns

IAF 35
This is to certify that the environmental management system established and implemented by the above organization meets the standard requirements.
During the validity period of the certificate, the surveillance audit should be carried out once a year and pass the audit, the certificate will continue to be valid.
The certificate can be checked out at the certification body website (www.acmchina.com) and CNCA website (www.cnca.gov.cn).

Date of first registration: 14/11/2024
Date of this certificate: 14/11/2024
Date of expiry: 13/11/2027

IAF IAS ACCREDITED

General Manager

ACM INTERNATIONAL CERTIFICATION LIMITED
41 Devonshire Street, Ground Floor, Office 1 London, United Kingdom, W1G 7AJ
Local Office-ACM (CHINA) LIMITED, Rm 8205, Building 2, No 391, Weihan Road, Minhang District, Shanghai 201199, China
T: +86 21-64058080 F: +86 21-64681090 W: www.acmchina.com E: info@acmcert.com.cn


CERTIFICATE

Quality Management System
GB/T 19001-2016 / ISO 9001:2015

PENGTAI (GUANGDONG) SUPPLY CHAIN MANAGEMENT CO.,LTD.

Certificate No.: 24CN5451332ISQ

Unified social credit code: 91440113MACSLNJE70

Registered Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou

Office Address: Room 601-1, No.266, Qinghe Road(E), Shiqiao Street Panyu District, Guangzhou, Guangdong, China

Certification Scope: Sales of Kitchen Supplies, Pet Products, Automotive Accessories, Clothing, Personal Protective Equipments Fabrics and Yarns

IAF 35
This is to certify that the quality management system established and implemented by the above organization meets the standard requirements.
During the validity period of the certificate, the surveillance audit should be carried out once a year and pass the audit, the certificate will continue to be valid.
The certificate can be checked out at the certification body website (www.acmchina.com) and CNCA website (www.cnca.gov.cn).

Date of first registration: 14/11/2024
Date of this certificate: 14/11/2024
Date of expiry: 13/11/2027

IAF IAS ACCREDITED

General Manager

ACM INTERNATIONAL CERTIFICATION LIMITED
41 Devonshire Street, Ground Floor, Office 1 London, United Kingdom, W1G 7AJ
Local Office-ACM (CHINA) LIMITED, Rm 8205, Building 2, No 391, Weihan Road, Minhang District, Shanghai 201199, China
T: +86 21-64058080 F: +86 21-64681090 W: www.acmchina.com E: info@acmcert.com.cn

## Our factory

















# SAFETY GLOVES



# Safety Helmet





## PX5000

CE CAT II · EN388 3X43CP · ANSI A3 CUT · ABSI\ISEA 138 1 · UK CA

GAUGE: 13 gauge
LINER MATERIAL: HPPE, Spandex, Nylon, Glass fiber
COATING MATERIAL/FINISH: ECO-latex, Latex Dots
SIZE: 8/M-11/XXL

**APPLICATION**

Construction, mining, aerospace, automotive, industry, machinerymetal fabrication, transportation.

**DESCRIPTION**

Cut resistance with high level impact protection on back of gloves. The patent latexbumper provide a soft and comfortable feeling.

CE certificated impact gloves in accordance with EN388:2016 standard.

ECO-Latex technology coating offers great grip and excellent durability.











## PX9300

CE CAT II · EN388 2131XP · ABSI\ISEA 138 1 · UK CA

GAUGE: 13 gauge
LINER MATERIAL: Polyester
COATING MATERIAL/FINISH : Nitrile Sandy, Latex Dots
SIZE: 8/M-11/XXL

**APPLICATION**

Construction, mining, railway industry, transportation, warehouse handling.

**DESCRIPTION**

13 Gauge polyester liner offers great flexibility and dexterity.
Ideal for construction material handling.
Nitrile Sandy coating gives the gloves an excellent dry grip on slippery surfaces.









## PX9500

GAUGE: 7 gauge
LINER MATERIAL: Polyester*Cotton
COATING MATERIAL/FINISH : Latex Dots
SIZE: 8/M-11/XXL


**APPLICATION**

Construction, mining, railway industry, transportation, warehouse handling.

**DESCRIPTION**

This gloves designed for impact protection and latex dots provide good grip in drycondition.
Application for general handling in light duty work.
Good dexterity and flexibility.







## PX2000

GAUGE: 15 gauge
LINER MATERIAL: ADAMAS
COATING MATERIAL/FINISH : Nitrile Foam
CONSTRUCTION OF TPR: Sewn with PVC rubber
SIZE: 7/S-11/XXL

**APPLICATION**

Construction, mining, transportation, warehouse handling.

**DESCRIPTION**

Ultra-light design 15 gauge liner offer excellent flexibility.
PVC rubber sewn on back provide impact resistance with great firmness.
Foam nitrile coating offers great grip and breathability.
Impact resistance passed in ÉN388:2016 standard test.











## PX3000

GAUGE: 15 gauge
LINER MATERIAL: ADAMAS
COATING MATERIAL/FINISH: Nitrile Foam
CONSTRUCTION OF TPR: Sewn with PVC rubber
SIZE: 7/S-11/XXL

**APPLICATION**

Construction, mining, transportation, warehouse handling.

**DESCRIPTION**

Ultra-light design 15 gauge liner offer excellent flexibility.
PVC rubber sewn on back provide impact resistance with great firmness.
Foam nitrile coating offers great grip and breathability.
Impact resistance passed in ÉN388:2016 standard test.







## PH1200


GAUGE: 13 gauge
LINER MATERIAL: HPPE, Spandex, Nylon, Steel
COATING MATERIAL/FINISH : Nitrile Foam
SIZE: 7/S-11/XXL

**APPLICATION**

Glass and steel industry, automotive industry, maintenance, mechanical assembly, construction.

**DESCRIPTION**

High level of Cut performance EN ISO level E.e Breathable nitrile foam coating and liner allow high level comfort and dexterity, keephands cool and dry.
Great grip performance in dry and slightly oily working condition.
Excellent abrasion performance and durability.




## PM1000

GAUGE: 15 gauge
LINER MATERIAL: HPPE, Spandex, Nylon, Glass fiber
COATING MATERIAL/FINISH: Nitrile Microfoam
SIZE: 7/S-11/XXL

**APPLICATION**

Glass and steel industry, automotive industry, maintenance, mechanical assembly, construction.

**DESCRIPTION**

High level of Cut performance EN ISO level C.
15 Gauge HPPE liner provide excellent dexterity and flexibility.
Nitrile crotch reinforcement to enhance the durability.
Advanced nitrile microfoam coated offers the great abrasion and ultra-thin coating provide the great breathability.







## PX6000

GAUGE: 18 gauge
LINER MATERIAL: HPPE, Spandex, Nylon, Glass fiber
COATING MATERIAL/FINISH: PU Smooth
SIZE: 7/S-11/XXL


**APPLICATION**

Glass and steel industry, automotive industry, maintenance, mechanical assembly, construction.

**DESCRIPTION**

Ultra-light weight liner offers Cut performance EN ISO level B.
Breathable PU smooth coated and lightweight liner allow high level comfort anddexterity, keep hands cool and dry.
Great grip performance in dry working condition.











## PX5105

GAUGE: 10 gauge
LINER MATERIAL: Aramid, Spandex, Spandex, Nylon, Cotton
COATING MATERIAL/FINISH: PU Smooth
SIZE: 7/S-11/XXL

**APPLICATION**

Glass and steel industry, automotive industry, maintenance, mechanical assembly, construction.

**DESCRIPTION**

Designed for high cut level protection and heat contact protection less than 350*ce Composite material mixed in liner knitted provides great comfort and flexibility.
Excellent abrasion performance and durability.
Stronger coating provide the great performance against abrasion, tear and puncturee Good heat contact resistance for hot parts handling.







## PX9300


GAUGE: 15 gauge
LINER MATERIAL: Polyester
COATING MATERIAL/FINISH : Latex Smooth
SIZE: 7/S-11/XXL

**APPLICATION**

Automotive industry, warehousing, transportation, building and construction, agriculture, mining.

**DESCRIPTION**

Latex foam provides great breathability and comfort.
Good abrasion and tear resistance.
Half coated latex coated offers extended protection.
Reinforced fingertips provide the great durability and good grip.




## PU6101

GAUGE: 13 gauge
LINER MATERIAL: Polyester
COATING MATERIAL/FINISH: PU Smooth
SIZE: 6/XS-11/XXL

**APPLICATION**

Automotive industry,  warehousing, transportation, building and construction, agriculture, mining.

**DESCRIPTION**

Touch screen fiber knitted in liner (thumb finger, index finger, middle finger)
Available to use carbon fiber and cooper fiber.
Offer great sensitivity to handle small parts and precise industry.





## PU7101

GAUGE: 13 gauge
LINER MATERIAL: Polyester
COATING MATERIAL/FINISH: Water based PU Smooth
SIZE: 7/S-11/XXL
*Food contact grade used.  *DMF free.

**APPLICATION**

Automotive industry, maintenance, machining industry, food processing.

**DESCRIPTION**

Food contact grade used.
DMF free.
The gloves designed for light applications that offers good flexibility.











## PX1705

LINER MATERIAL: Cotton jersey
COATING MATERIAL/FINISH : Latex crinkle half coated
SIZE: 8/M-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction.

**DESCRIPTION**

Brushed liner provides the protection on slight lower temperature for short contact.
Good dexterity and flexibility in medium heavy duty work.





## PX1713

LINER MATERIAL: Cotton jersey
COATING MATERIAL/FINISH : Latex crinkle half coated
SIZE: 8/M-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction.

**DESCRIPTION**

Brushed liner provides the protection on slight lower temperature for short contact.
Good dexterity and flexibility in medium heavy duty work.
Knit wrist cuff design provides the great fit.









## PX3605

CE CAT II EN388 4111X UKCA

LINER MATERIAL: Cotton Jersey
COATING MATERIAL/FINISH: Nitrile foam
SIZE: 8/M-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction, automotive industry, oil industry.

**DESCRIPTION**

Advanced physical foam technology offers great water and oil resistance.
Safety cuff design reduce the hand extrusion risk.
Good abrasion resistance.











## PX5003

CE CAT II EN388 2121X UKCA

LINER MATERIA:Cotton jersey
COATING MATERIAL/FINISH: Nitrile smooth
SIZE: 9/L-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction, automotive industry, oilindustry.

**DESCRIPTION**

Premium quality on the nitrile dipped to offer great performance on chemicalresistance and abrasion resistance.
Great grip and durability.
Comfort hand shape design to reduce the fatigue.
Half coated provides good flexibility and breathability.















## PX5000

CE CAT II EN388 2121X UKCA

LINER MATERIA: Cotton jersey
COATING MATERIAL: Nitrile smooth
SIZE: 9/L-11/XXL

**APPLICATION**


Logistics and warehousing, mining, building and construction, automotive industry, oil industry.

**DESCRIPTION**


Premium quality on the nitrile dipped to offer great performance on chemicalresistance and abrasion resistance.
Great grip and durability.
Fully dipped to provide better protection.
Different dipped grams are selected available for special demands.











## PX6003

CE CAT II EN388 2121X UKCA

LINER MATERIAL: Cotton jersey
COATING MATERIAL/FINISH: Nitrile smooth
SIZE: 9/L-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction, automotive industry, oil industry.

**DESCRIPTION**

Premium quality on the nitrile dipped to offer great performance on chemicalresistance and abrasion resistance.
Great grip and durability.
Comfort hand shape design to reduce the fatique.
Half coated provides good flexibility and breathability.











## PX6005

CE EN388 CAT II 2121X UKCA

LINER MATERIAL: Cotton jersey
COATING MATERIAL/FINISH: Nitrile smooth
SIZE: 9/L-11/XXL

**APPLICATION**

Logistics and warehousing, mining, building and construction, automotive industry, oil industry.

**DESCRIPTION**

Premium quality on the nitrile dipped to offer great performance on chemicalresistance and abrasion resistance.Great grip and durability.
Fully dipped to provide better protection.
Thicker and heavy dipped grams are selected available for special demands.















## XY1001

Material Nylon Spandex Palm Coated Gloves

Nylon spandex back | Palm coated for grip





## XY1002

Material PVC Dot Nitrile Ultra-Fine Foam Gloves

Palm coated with PVC dots | Nitrile ultra-fine foam for enhanced grip





## XY1003

Material Nylon*Spandex

Nylon spandex back | Palm coated with nitrile ultra-fine foam





## XY1004

Material D-Grade Anti-Cut Palm Coated Gloves

Nylon spandex + HPPE/glass fiber back | Nitrile frosted palm coating





## XY1005

Material 3/4 Coated Latex Foam Gloves

Terry brushed palm | Latex foam coating for grip





## XY1006

Material D-Grade Anti-Cut EVA Palm Gloves

EVA palm | TPR reinforced thumb joint









## XY1007

Material D-Grade Anti-Cut Nitrile Foam Gloves

HPPE/glass fiber back | Nitrile ultra-fine foam palm





## XY1008

Material Black Latex Wrinkle Palm Gloves

Latex-coated palm | Red polyester back





## XY1009

Material Black PU Palm Coated Gloves

PU-coated palm | Black polyester shell





## XY1010

Material Gray Nitrile Palm Coated Gloves

Nitrile-coated palm | White polyester back





## XY1011

Material PVC Dot Nitrile Ultra-Fine Foam Gloves

Palm coated with PVC dots | Nitrile ultra-fine foam for enhanced grip





## XY1012

Material Nylon*Spandex

Nylon spandex back | Palm coated with nitrile ultra-fine foam









## XY1013

Material Nylon Spandex Palm Coated Gloves

Nylon spandex back | Palm coated for grip

